



PRODUCT INTRODUCTION MANUAL

JINMINGHUI METAL MATERIALS LIMITED



 1000+ Workers	 100+ Technology Patent	 3000 m ² Factory Zone
--	---	---

JINMINGHUI METAL SUPPLIER

• COMPANY PROFILE

Jinminghui is a professional manufacturer of steel and alloy products in China, profile contains-coil /roll / strip / sheet shape, bar/ pipe/ wire/ angle/ beam shape and etc. Dedicated to strict quality control and thoughtful customer service, our experienced staff member available to discuss your requirements and ensure full customer satisfaction. In addition, we have obtained ISO-9001, TUV, SGS certification and other qualifications.

Our office is in Xishan District, Wuxi City. Now there are over twenty people in our foreign trade dept. Factory is located at Qiangjiao Industrial Zone, with more than 20 engineers and 300 workers. Our annual production capacity is more than 40,000 tons. We can also provide the cutting, slitting, film-covering and other non-standard processing services. Our products are widely used in the fields of tableware, kitchenware, medical apparatus and instruments, household appliances, auto parts, construction, decoration and many industries. Selling well in all the cities in China, our products are also exported to clients in such countries and regions as Southeast Asia, South America, South Africa, Europe and so on.

"People-Oriented, Good Faith for Customer, Outstanding, Innovation, and Sustainable Management" is the business philosophy. Sincerely hope to cooperate with you in the future! We promise all our customers equal opportunities to fulfill the contract provisions of Chinese law. Should you have any inquiry, don't hesitate to call or email us today!



• CERTIFICATE



• OUR CUSTOMERS

OUR TEAM

Over 200 employees

We have a professional team to provide you with comprehensive and universal service.



CONTENTS


> JINMINGHUI METAL SUPPLIER

01



STAINLESS STEEL SERIES

COPPER PRODUCT SERIES



02


03



ALUMINUM PRODUCT SERIES

• STAINLESS STEEL PLATE

Standard	USA: ASTM A 167/A 176/A 666/A 240/A 240M/A 887 JPN: JIS G4304/JIS G4305/JIS G4312/JIS G4109/JIS G4110 EUR: EN 10088/10095
Grades	200 Series: 201/201L/202 300 Series: 301/301H/302/304/304L/309/310/316/316L/316Ti/347H 400 Series: 409L/410/410S/420/430/431/439/440C/444/446 600 Series: 630/631 900 Series: 904L Others: Monel: 400/K-500 Incoloy: 800H/800HT/825/901/925/926(AI-6XN)/x750/600/625 Inconel: 600/601/625/718/690/725/x-750 High Temperature: GH4169/GH2132/GH4145/GH3030/GH3044/GH3039/ GH4080A/GH4049/GH4099/GH5188 High Strength Steel: Nitronic60/S21800/XM-19/SUH616/961/SUH660 High Temperature Resist: 253Ma/314/310S/309Si2 Super Austenite: 654SMo/254SMo/F44/904L/Alloy 20/1.4529/N08367
Width	1000/1219/1220/1250/1500/2000MM OR CUSTOMIZED
Finish	2B / NO.1 / BA / HL / NO.4 / 8K
Condition	Hot Rolled/ Cold Rolled



2B

NO.1

NO.4

BA


HL

8K



• STAINLESS STEEL COIL

Standard	USA: ASTM A 167/A 176/A 666/A 240/A 240M/A 887 JPN: JIS G4304/JIS G4305/JIS G4312/JIS G4109/JIS G4110 EUR: EN 10088/10095
Grades	200 Series: 201/201L/202 300 Series: 301/301H/302/304/304L/309/310/316/316L/316Ti/347H 400 Series: 409L/410/410S/420/430/431/439/440C/444/446 900 Series: 904L Others: Monel: 400/K-500 Incoloy: 800H/800HT/825/901/925/926(AI-6XN)/x750/600/625 Inconel: 600/601/625/718/690/725/x-750 High Temperature: GH4169/GH2132/GH4145/GH3030/GH3044/GH3039/ GH4080A/GH4049/GH4099/GH5188 High Strength Steel: Nitronic60/S21800/XM-19/SUH616/961/SUH660 High Temperature Resist: 253Ma/314/310S/309Si2 Super Austenite: 654SMo/254SMo/F44/904L/Alloy 20/1.4529/N08367
Width	1000/1219/1220/1250/1500/2000MM OR CUSTOMIZED
Finish	2B/ NO.1/ BA/ HL/ NO.4/ 8K
Condition	2B/ NO.1/ BA/ HL/ NO.4/ 8K




2B NO.1 NO.4 BA HL 8K




• STAINLESS STEEL WIRE

Standard	USA: ASTM A 580/A580M/A581/A-581M / JPN: JIS G4309 / EUR: EN 10088
Grades	200 Series: 201/201L/202 300 Series: 301/301H/302/304/304L/309/310/316/316L/316Ti/347H 400 Series: 409L/410/410S/420/430/431/439/440C/444/446 900 Series: 904L Others: Monel: 400/K-500 Incoloy: 800H/800HT/825/901/925/926(Al-6XN)/x750/600/625 Inconel: 600/601/625/718/690/725/x-750 High Temperature: GH4169/GH2132/GH4145/GH3030/GH3044/GH3039/ GH4080A/GH4049/GH4099/GH5188 High Strength Steel: Nitronic60/S21800/XM-19/SUH616/961/SUH660 High Temperature Resist: 253Ma/314/310S/309Si2 Super Austenite: 654SMo/254SMo/F44/904L/Alloy 20/1.4529/N08367
Diameter	1000/1219/1220/1250/1500/2000MM OR CUSTOMIZED
Surface	Electrolysis bright, bright, matt.



SCREEN



MESH MATTRESS



SCREW



SPRING



A NAIL




FENCE




• STAINLESS STEEL BAR

Standard	USA: ASTM A 276/A 582/A 582M JPN: JIS G 4303/JIS G 4309/JIS G 4311/JIS G 4312 EUR: EN 10088
Grades	200 Series: 201/201L/202 300 Series: 301/301H/302/304/304L/309/310/316/316L/316Ti/347H 400 Series: 409L/410/410S/420/430/431/439/440C/444/446 600 Series: 630/631 900 Series: 904L Others: Monel: 400/K-500 Incoloy: 800H/800HT/825/901/925/926(AI-6XN)/x750/600/625 Inconel: 600/601/625/718/690/725/x-750 High Temperature: GH4169/GH2132/GH4145/GH3030/GH3044/GH3039/ GH4080A/GH4049/GH4099/GH5188 High Strength Steel: Nitronic60/S21800/XM-19/SUH616/961/SUH660 High Temperature Resist: 253Ma/314/310S/309Si2 Super Austenite: 654SMo/254SMo/F44/904L/Alloy 20/1.4529/N08367
Size	As customer 's requirement
Finish	2B, 2D, NO.1, NO.4, BA, HL, 6K, 8K ,ETC




• STAINLESS STEEL PIPE

Standard	USA: ASTM A 269/A 312/A 312M/A 511/A 554/A 249/A 249M JPN: JIS G 3446/JIS G 3463 EUR: EN 10216/10217
Grades	200 Series: 201/201L/202 300 Series: 301/301H/302/304/304L/309/310/316/316L/316Ti/347H 400 Series: 409L/410/410S/420/430/431/439/440C/444/446 600 Series: 630/631 900 Series: 904L Others: Monel: 400/K-500 Incoloy: 800H/800HT/825/901/925/926(Al-6XN)/x750/600/625 Inconel: 600/601/625/718/690/725/x-750 High Temperature: GH4169/GH2132/GH4145/GH3030/GH3044/GH3039/ GH4080A/GH4049/GH4099/GH5188 High Strength Steel: Nitronic60/S21800/XM-19/SUH616/961/SUH660 High Temperature Resist: 253Ma/314/310S/309Si2 Super Austenite: 654SMo/254SMo/F44/904L/Alloy 20/1.4529/N08367
Width	1000/1219/1220/1250/1500/2000mm or Customized
Finish	2B/ NO.1/ BA/ HL/ NO.4/ 8K
Shape	2B/ NO.1/ BA/ HL/ NO.4/ 8K




• STAINLESS STEEL ANGLE BAR

Standard	USA: ASTM A276 EUR: EN 10088
Grades	200 Series: 201/201L/202 300 Series: 301/301H/302/304/304L/309/310/316/ 316L/316Ti/347H
Shape	Equal / Unequal




• COPPER SHEET/PLATE

Standard	ASTM B152 / JIS H3100
Size	600 mmx1500 mm or Customized
Finish	Mill+PVC Film or Customized
Temper	Soft, Half-Hard, Hard or Customized




• BRASS SHEET / PLATE

Standard	ASTM B36 / JIS H3100
Size	600mm x1500mm or Customized
Finish	Mill+PVC Film or Customized
Temper	Soft, Half-Hard, Hard or Customized



• COPPER/BRASS COIL

Standard	ASTM B152 / ASTM B36 / JIS H3100
Width	Customized




• COPPER & BRASS & BRONZE BAR

Standard	ASTM B21 / ASTM B187 / ASTM B505 / JIS H3140 / JIS H3250		
----------	--	--	--



• BRASS TUBE / PIPE

Standard	ASTM B111 / JIS H3300		
----------	-----------------------	--	--




• BRONZE BUSHING

Size	Customized
Finish	Machined
Length	MAX 300MM




• BRONZE PIPE

Standard	ASTM B505
Finish	Mill or Customized



• ALUMINUM PLATE

Standard	ASTM B209
Grades	1000 Series: 1050/1060/1100 2000 Series: 2011/2014/2017/2024/2219 3000 Series: 3003/3004/3005/3105 5000 Series: 5005/5050/5042/5052/5056/5083/5086/5754 6000 Series: 6060/6061/6063/6082 7000 Series: 7049/7050/7075/7175 8000 Series: 8011
Temper	O-H112 / T3-T8 / T351-T651 / T351-T851
Thickness	0.15-100MM
Width	≤2000MM




• ALUMINUM BAR

Standard	ASTM B221
Grades	1000 Series: 1050/1060/1100 2000 Series: 2011/2014/2017/2024/2219 5000 Series: 5005/5050/5042/5052/5056/5083/5086/5754 6000 Series: 6060/6061/6063/6082 7000 Series: 7049/7050/7075/7175
Temper	O-H112 / T3-T8 / T351-T651 / T351-T851
Diameter	3-500MM
Regular Length	3M or Customized
Status	Extrusion/Cold drawn



• ALUMINUM PIPE

Standard	ASTM B210 / B241 / B234M / B429
Grades	1000 Series: 1050/1060/1100 2000 Series: 2011/2014/2017/2024/2219 5000 Series: 5005/5050/5042/5052/5056/5083/5086/5754 6000 Series: 6060/6061/6063/6082 7000 Series: 7049/7050/7075/7175
Temper	O-H112 / T3-T8 / T351-T651 / T351-T851
Shape	Round/Square/Rectangular
Dimensions	3-500MM
Status	Extrusion/Cold Drawn
Surface	Mill Finish, Anodizing, Powder Coating




• ALUMINUM COIL

Standard	ASTM B209
Grades	1000 Series: 1050/1060/1100 2000 Series: 2011/2014/2017/2024/2219 3000 Series: 3003/3004/3005/3105 5000 Series: 5005/5050/5042/5052/5056/5083/5086/5754 6000 Series: 6060/6061/6063/6082 7000 Series: 7049/7050/7075/7175 8000 Series: 8011
Temper	O-H112 / T3-T8 / T351-T651 / T351-T851
Thickness	0.15-7.0MM
Width	≤2000MM



• ALUMINUM FOIL

Standard	ASTM B479 / B373
Grades	1000 Series: 1050/1060/1070 3000 Series: 3003/3004/3105/3104/3A21/3005 8000 Series: 8011
Temper	F / O / H12 / H14 / H16 / H18 / H19 / H22 / H24 / H26 / H28 / H111 / H112 / T6
Thickness	0.006-0.15MM
Width Length	Customized
Application	Food Contact ,Flexible Barrier



• ALUMINUM ANGLE

Standard	ASTM B221 / B308
Grades	2000 Series: 2011/2014/2017/2024/2219 5000 Series: 5005/5050/5042/5052/5056/5083/5086/5754 6000 Series: 6060/6061/6063/6082 7000 Series: 7049/7050/7075/7175
Temper	O-H112 / T3-T8 / T351-T651 / T351-T851
Thickness	0.15-7.0MM



• ALUMINUM WIRE

Standard	ASTM B211 / B221 / B230 / B233
Al (Min)	99.6%
Processing Service	Welding, Cutting
Application	Industry Cable, Rivet, Wrapping Wire



• ALUMINUM CIRCLE

Standard	ASTM B209
Grade	1000 Series: 1050/1060/1100 3000 Series: 3003/3105
Temper	O-H112 / T3-T8 / T351-T651 / T351-T851





JINMINGHUI METAL MATERIALS LIMITED

Add: Qianqiao Industrial Park, Huishan District, Wuxi, Jiangsu Province, China	Tel: 0086 0510-88792833	Fax: 0086 0510-88792733
	Web: www.jmhsteel.com	Email: sales@jmhsteel.com
