

J AND K INDUSTRIAL LIMITED

Add: No.10 Beihu Road, Hardware Industrial Zone ,Yongkang , Zhejiang ,China

Tel: 0086-579-87541640 / 87131109

Fax: 86-579-87541642

Mobile: 86-13173836128

Contact Person: Mr Henry

E-mail: sales@jkladder.com


What's App: 86-13173836128

Http: //www.jkladder.com

Http: //ykladder.en.made-in-china.com



J & K Industrial



J AND K INDUSTRIAL LIMITED



<http://www.jkladder.com>
<http://ykladder.en.made-in-china.com>

TELESCOPIC LADDER EN131-6



Features

1. One-time folding with air system inside.
2. Diameter of Top tube: 36mm
3. Length of tube: 52mm
4. Spacing 30cm, connected up and down tubes overlap 22cm
5. For 3.8m & 3.2m fixed with Balance bar, 2.6m without Balance bar
6. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
7. Compact design for easy storage.
8. Lightweight & portable aluminum construction.



Technical parameters of products


Item No	NO. of Step	Width (cm)	Closed height (cm)	Open height (cm)	N.W (kgs)	Packing Size (cm)	20GP (pcs)	40HQ (pcs)
JK-1001N	7	48	72	200	6.3	73*50*10	800	1750
JK-1002N	9	48	78	260	7.2	79*50*10	750	1700
JK-1003N	10	50	79	290	9.3	80*53*10.5	700	1600
JK-1004N	11	50	84	320	10.2	85*53*10.5	660	1500
JK-1005N	13	50	90	380	12.3	91*53*10.5	550	1350

2 IN 1 TELESCOPIC LADDERS



Features

1. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
2. Compact design for easy storage.
3. Lightweight & portable aluminum construction.



Technical parameters of products

Item No	NO. of Step	Width (cm)	Closed height (cm)	Open height (cm)	N.W (kgs)	Packing Size (cm)	20GP (pcs)	40HQ (pcs)
JK-1001D	5+5	50	81	320	11.5	84*52*20	350	820
JK-1002D	6+6	50	84	380	13.4	87*52*20	330	760
JK-1003D	7+7	50	87	440	15.4	90*52*20	310	700
JK-1004D	8+8	50	90	500	17.5	93*52*20	280	680
JK-1005D	9+9	50	93	560	19.5	96*52*20	260	660
JK-1006D	10+10	50	96	620	21.5	99*52*20	250	630

MULTI-PURPOSE LADDER/LITTLE GIANT LADDER





Features

1. Can be used straight shape and A shape.
2. Non-slip aluminum treads.
3. Flared legs with slip resistant and no necessary to install stabilizer.



Safety lock



Technical parameters of products

Item No	NO. of Step	A (mm)	B (mm)	C (mm)	D (mm)	N.W (kgs)	Packing Size(cm)	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-303	4*3	90	143	101	292	8.5	94*18*45	370	740	800
JK-304	4*4	116	195	137	402	9.5	122*18*(53+45)	260	520	620
JK-305	4*5	142	250	172	515	11.3	150*18*(59+45)	200	400	480
JK-306	4*6	168	302	207	627	13.1	178*18*(65+45)	160	320	380
JK-307	4*7	194	354	242	739	15	206*18*(71+45)	130	260	320

MULTI-PURPOSE LADDER





Features

1. From 4x2 to 4x5, many sizes
2. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
3. Compact design for easy storage.
4. Lightweight & portable aluminum construction.



Big hinge



Technical parameters of products


Item No	NO. of Step	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	N.W (kgs)	Packing Size(cm)	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-102A	4*2	1200	900	2500	720	730	1580	10.5	68*26*36	480	929	1088
JK-103A	4*3	1740	1230	3460	970	960	2210	12.25	95*26*36	330	706	783
JK-104A	4*4	2255	1560	4650	1235	1225	2895	13.6	122*26*36	258	529	620
JK-105A	4*5	2790	1890	5610	1510	1500	3620	14.7	150*26*36	198	390	495

HOUSEHOLD LADDER




Features


1. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
2. Compact design for easy storage.
3. Lightweight & portable aluminum construction.



Top platform can put logo



Anti-slip step



Technical parameters of products


Item No	NO. of Step	A (mm)	B (mm)	C (mm)	N.W (kgs)	Packing Size(cm)	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-403	3	1120	590	400	2.7	118*12*40	600	1200	1460
JK-404	4	1320	720	430	3.2	140*12*43	480	960	1160
JK-405	5	1530	850	450	3.67	160*12*45	405	910	980
JK-406	6	1700	950	480	4.2	178*12*49	350	700	840
JK-407	7	1880	960	500	4.75	203*12*50	300	600	740
JK-408	8	2100	1230	520	5.36	223*12*52	260	530	640

HOUSEHOLD LADDER



Features


1. Slim design many color can choose.
2. Non-slip aluminum treads.
3. Flared legs with slip resistant and no necessary to install stabilizer.



Step with rubber anti-slip



Anti-slip foot cover



Technical parameters of products

Item No	NO. of Step	A (mm)	B (mm)	C (mm)	D (mm)	N.W (kgs)	Packing Size(cm) 4pcs	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-402C	2	970	500	450	500	3.4	103*21.5*45	1120	2240	2720
JK-403C	3	1235	680	450	765	4.3	129*21.5*45	900	1800	2200
JK-404C	4	1435	910	450	970	5.5	155*21.5*45	760	1550	1800

HOUSEHOLD LADDER



Features

- 1. Wooden color more suitable for daily use.
- 2. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
- 3. Compact design for easy storage.
- 4. Lightweight & portable aluminum construction.




Supervise steps



Anti-slip step



Anti-slip foot cover



Technical parameters of products

Item No	NO. of Step	A (mm)	B (mm)	C (mm)	N.W (kgs)	Packing Size(cm)	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-403A	3	1120	590	400	2.7	118*12*40	600	1200	1460
JK-404A	4	1320	720	430	3.2	140*12*43	480	960	1160
JK-405A	5	1530	850	450	3.67	160*12*45	405	910	980
JK-406A	6	1700	950	480	4.2	178*12*49	350	700	840
JK-407A	7	1880	960	500	4.75	203*12*50	300	600	740
JK-408A	8	2100	1230	520	5.36	223*12*52	260	530	640



HOUSEHOLD LADDER

Made by Aluminum Material




Features


- 1. Many color can supply: Black/Gold/White silver
- 2. Non-slip aluminum treads.
- 3. Flared legs with slip resistant and no necessary to install stabilizer.



Step with rubber anti-slip



Anti-slip foot cover



Technical parameters of products

Item No	NO. of Step	A (mm)	B (mm)	C (mm)	D (mm)	N.W (kgs)	Packing Size(cm) 5pcs	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-403F	3	1250	620	410	700	3.5	123*48*28	850	1700	2060
JK-404F	4	1480	760	440	950	4.7	148*52*28	650	1300	1600
JK-405F	5	1710	900	470	1200	5.9	173*56*28	520	1040	1250
JK-406F	6	1880	1020	500	1400	7.3	198*60*28	440	880	1000



ALUMINUM STEP LADDER



Features


- 1. 100% all new plastic material.
- 2. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
- 3. Compact design for easy storage.
- 4. Lightweight & portable aluminum construction.



Back tools tray



Top tools tray



JK-0802D



JK-0804E

Technical parameters of products


Item No	NO. of Step	A (mm)	B (mm)	C (mm)	D (mm)	N.W (kgs)	Packing Size(cm) 4pcs	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-0802D	2	970	780	470	500	2.8	44*8*104	508	1020	1349
JK-0803D	3	1240	860	510	765	3.5	47*8*134	408	820	976
JK-0804E	4	1430	870	535	970	5.1	53.5*11.4*155.6	420	850	1000

ALUMINUM STEP LADDER



Features


- 1. 100% all new plastic material.
- 2. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
- 3. Compact design for easy storage.
- 4. Lightweight & portable aluminum construction.



Super Wide Top Step



Top tools tray



Technical parameters of products

Item No	NO. of Step	A (mm)	B (mm)	C (mm)	N.W (kgs)	Packing Size(cm) 4pcs	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-0803A	3	1680	990	615	8	61.5*9.5*182	350	710	845
JK-0804A	4	1960	1150	640	9.2	64*9.5*212	300	610	730

STEEL STEP LADDER




Features

- 1. 100% all new plastic material.
- 2. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
- 3. Compact design for easy storage.
- 4. Lightweight & portable aluminum construction.



Over sized plastic step



Technical parameters of products

Item No	NO. of Step	A (mm)	B (mm)	C (mm)	N.W (kgs)	Packing Size(cm) 4pcs	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-1102D	2	965	520	455	3.5	108*28*47	902	1868	2190
JK-1103D	3	1210	675	485	4.5	134*28*50	695	1440	1688

STEEL LADDER



Features


- 1. 100% all new plastic material.
- 2. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
- 3. Compact design for easy storage.
- 4. Lightweight & portable aluminum construction.



Wide pedal



Anti-slip shoes



Technical parameters of products

Item No	NO. of Step	A (mm)	B (mm)	C (mm)	N.W (kgs)	Packing Size(cm) 4pcs	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-1102E	2	810	470	470	3.8	88*48*30	800	1700	2100
JK-1103E	3	1040	610	470	5.1	114*48*30	600	1300	1600

STEEL LADDER



+ Features

1. 100% all new plastic material.
2. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
3. Compact design for easy storage.
4. Lightweight & portable aluminum construction.




Anti-slip shoes



JK-1402



JK-1403B



+ Technical parameters of products

Item No	NO. of Step	A (mm)	B (mm)	C (mm)	N.W (kgs)	Packing Size(cm)	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-1402	2	785	540	460	4.1	89*28*46.6/6PCS	1542	3084	3516
JK-1403	3	1030	620	470	5.4	112*19*48/4PCS	1144	2288	2728
JK-1404	4	1270	815	480	6.9	137*21*47/4PCS	872	1744	2092

STEEL LADDER




+ Features

1. 100% all new plastic material.
2. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
3. Compact design for easy storage.
4. Lightweight & portable aluminum construction.



Over sized plastic step



+ Technical parameters of products

Item No	NO. of Step	A (mm)	B (mm)	C (mm)	N.W (kgs)	Packing Size(cm)	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-1102AR	2	920	480	460	5.9	102*27*48cm/4pcs	820	1740	2000
JK-1103AR	3	1170	660	460	7.7	128*27*48cm/4pcs	660	1380	1600
JK-1104AR	4	1410	830	460	9.6	154*27*48cm/4pcs	540		1320


3 SECTION EXTENSION LADDER



Features

1. Each ladder with balance bar.
2. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
3. Free mixed can be 2 layer & 3 layer.
4. Lightweight & portable aluminum construction.

150 KG
Max load



Technical parameters of products

Item No	NO. of Step	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	N.W (kgs)	G/H/I	Packing Size(cm)	20GP (pcs)
JK-606	3*6	1765	2475	1700	1070	2600	3435	9.4	340/400/460	176*46*16	216
JK-607	3*7	2045	3007	1965	1240	3160	4277	10.7	340/400/460	204*46*16	200
JK-608	3*8	2325	3540	2230	1410	3720	5120	11.8	340/400/460	232*46*16	160
JK-609	3*9	2605	4072	2495	1580	4280	5962	13.2	340/400/460	260*46*16	145
JK-610	3*10	2885	4604	2760	1750	4840	6804	14.6	340/400/460	288*46*16	130
JK-611	3*11	3165	5136	3025	1920	5400	7646	15.5	340/400/460	316*46*16	120
JK-612	3*12	3445	5655	3360	2115	5980	8480	17.1	340/400/460	344*46*26	110


SCAFFOLDING LADDER



Features

1. Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
2. Compact design for easy storage.
3. Lightweight & portable aluminum construction.

150 KG
Max load



Technical parameters of products


Item No	NO. of Step	A (mm)	B (mm)	C (mm)	N.W (kgs)	Platform Size(cm)	Packing Size(cm)	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-1105	2*5	1400	1200	198	17	147*40.5	177*44*16	254	590	650
JK-1106	2*6	1680	1450	2520	18	147*40.5	205*44*16	220	510	550
JK-1107	2*7	1960	1700	3060	19	147*40.5	232*44*16	230	460	530
JK-1106A	2*6	1680	1450	2520	18.5	147*40.5	205*44*16	220	510	550
JK-1107A	2*7	1960	1700	3060	19.5	147*40.5	232*44*16	230	460	530

WORKING PLATFORM



Features

- 1. Portable, light weight, easy to carry and set up, convenient to store.
- 2. Slip-resistant provides a non-skid area for standing.
- 3. Non-marring provides slip-resistance and protects floor from damage.





Technical parameters of products

Item No	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	N.W (kgs)	Packing Size (cm)	20GP (pcs)	40GP (pcs)	40HQ (pcs)
JK-205	950	300	495	1280	380	7.2	100*39*20	369	700	837
JK-205A	950	300	495	1280	380	7.8	100*39*20	369	700	837

FOLDING LUGGAGE CART

Features

- 1. Convenient folding/aluminum alloy body/practical and durable
- 2. High capacity of long life
- 3. The wheel is resistant to pressure and wear, suitable for a variety of road surface, durable, long service life



Technical parameters of products

Item No	JK-GZS120A
Folder size: 485*60*905mm	Wheel size: 175mm*35mm(pp+tp)
Open size: 485*520*1195mm	Export size: 91.5*30*50cm/4pcs
Material: Frame : Steel tube	N.W./G.W.: 5.1/22kgs
Foot plate: Plastic	Standard packing: Each one /shrink bag, with color card ,4 pcs per carton
Foot plate: 350*485mm	20GP/40HQ: 900/2100pcs

FOLDABLE HAND TRUCK

Features

- 1. Convenient folding/aluminum alloy body/practical and durable
- 2. High capacity of long life
- 3. The wheel is resistant to pressure and wear, suitable for a variety of road surface, durable, long service life

70 KG
Max load



Technical parameters of products

Item No		JK-GZS90A
Folder size: 395*190*710mm	Export size: 74*42*25cm/4pcs	
Open size: 395*410*1080mm	N.W./G.W.: 4.4/19kgs	
Material: Aluminum steel pp eva	Standard packing: Each one /shrink bag,with color card ,4 pcs per carton	
Foot plate: 355*240mm	20GP/40HQ: 1000/3200 pcs	
Wheel size: 150mm		

FOLDABLE HAND TRUCK

Features

- 1. Convenient folding/aluminum alloy body/practical and durable
- 2. High capacity of long life
- 3. The wheel is resistant to pressure and wear, suitable for a variety of road surface, durable, long service life

70 KG
Max load



Technical parameters of products

Item No		JK-RA60A
Folder size: 640*385*55mm	Wheel size: 150mm*28mm	
Open size: 410*385*985mm	Export size: 66*40*31cm/6pcs	
Material: frame: Aluminum tube	N.W./G.W.: 2.8/18kgs	
Foot plate: aluminum	Standard packing: Each one /shrink bag,with color card ,6 pcs per carton	
Foot plate: 385*280mm	20GP/40HQ: 1900/4980 pcs	

FOLDING LUGGAGE CART

Features

- 1. Convenient folding/aluminum alloy body/practical and durable
- 2. High capacity of long life
- 3. The wheel is resistant to pressure and wear, suitable for a variety of road surface, durable, long service life

NEW

200 KG
Max load



Technical parameters of products

Item No	JK-GZS200A
Folder size: 590*90*1075mm	Wheel size: 200mm*44mm(pp+tp)
Open size: 590*610*1310mm	Export size: 60*10*106cm/1pc
Material: Frame : Aluminum tube	N.W./G.W.: 11/13kgs
Foot plate: Plastic	Standard packing: Each one /shrink bag,with color card ,1 pcs per carton
Foot plate: 350*490mm	20GP/40HQ: 440/1080pcs

FOLDING LUGGAGE CART

Features

- 1. Convenient folding/aluminum alloy body/practical and durable
- 2. High capacity of long life
- 3. The wheel is resistant to pressure and wear, suitable for a variety of road surface, durable, long service life

NEW

150 KG
Max load



Technical parameters of products

Item No	JK-RA150
Folder size: 770*480*55mm	Wheel size: 170mm*30mm
Open size: 530*490*1080mm	Export size: 76*47*6cm/2pc
Material: Frame : Aluminum tube	N.W./G.W.: 5.3/12.4kgs
Foot plate: Aluminum	Standard packing: Each one /shrink bag,with color card ,2 pcs per carton
Foot plate: 485*320mm	20GP/40HQ: 1300/3200 pcs

FOLDING LUGGAGE CART

Features

- 1. Convenient folding/aluminum alloy body/practical and durable
- 2. High capacity of long life
- 3. The wheel is resistant to pressure and wear, suitable for a variety of road surface, durable, long service life



NEW



Technical parameters of products

Item No	JK-JZS150N
Folder size: 420*530*230mm	Wheel size: 100mm*30mm
Open size: 420*710*950mm	Export size: 54*43*12cm/1 pc
Material: Frame : Aluminum tube+steel tube	N.W./G.W.: 7.6/9kgs
Foot plate: Aluminum	Standard packing: Each one /shrink bag,with color card ,1 pcs per carton
Foot plate: 485*320mm	20GP/40HQ: 500/1200 pcst

FOLDING PLATFORM TROLLEY

Features


- 1. Convenient folding/aluminum alloy body/practical and durable
- 2. High capacity of long life
- 3. The wheel is resistant to pressure and wear, suitable for a variety of road surface, durable, long service life



PZS300



PZS150




Technical parameters of products

Item No	PZS150	PZS300
Folder size:	715*480*115mm	905*610*115mm
Open size:	715*480*850mm	905*61*860mm
Material:	Frame: Steel tube	Frame: Steel tube
Foot plate:	Steel	Steel
Foot plate:	715*480mm	905*610mm
Wheel size:	100mm*30mm	125mm*35mm
Export size:	73.5*48*11.5cm/1 pc	92*62*13cm/1 pc
N.W./G.W.:	8.3/9.5kgs	13.9/15.5kgs
Standard packing:	Each one /shrink bag,with color card ,1 pcs per carton	Each one /shrink bag,with color card ,1 pcs per carton
20GP/40HQ:	980/2100 pcs	480/1000 pcs

FOLDING WAGON / BEACH WAGON

Features

1. Convenient folding/aluminum alloy body/practical and durable
2. High capacity of long life
3. The wheel is resistant to pressure and wear, suitable for a variety of road surface, durable, long service life



JK-1000

JK-1001


Technical parameters of products

Item No	JK-1000	JK-1001
Folder size:	67*13*50cm	51*20*76cm
Open size:	80*46*36/92cm	100*50*(59/102)cm
Load max:	60L/80KG	100L/80KG
Material frame:	Steel tube	Steel tube
Bag fabric:	600D Oxford	600D Oxford
Wheel size:	5-inch narrow wheel/pvc	8-inch narrow wheel/pvc
Export size:	68*13*51cm(1 pcs/ctn)	52*21*78cm(1 pcs/ctn)
N.W/G.W:	6/6.6KG	8.5/9.5KG
Standard packing:	Dust boot,customizable LOGO,one carton for each	Dust boot,customizable LOGO,one carton for each
20GP/40HQ:	630/1520pcs	340/780pcs
Color :	Black / Red/ Blue / Army Green / Khaki	Black / Red/ Blue / Army Green / Khaki

FOLDING WAGON / BEACH WAGON

Features

1. Convenient folding/aluminum alloy body/practical and durable
2. High capacity of long life
3. The wheel is resistant to pressure and wear, suitable for a variety of road surface, durable, long service life



JK-1001B



JK-1002

Technical parameters of products

Item No	JK-1001B	JK-1002
Folder size:	60*17.5*74.5cm	36*17*74cm
Open size:	98*60*57/102cm	94*49*96/132cm
Load max:	150L/100KG	150L/80KG
Material frame:	Steel tube	Steel tube
Bag fabric:	600D Oxford	600D Oxford
Wheel size:	7-inch wide wheel/pvc	7-inch narrow wheel/pvc
Export size:	61*18.5*75.5cm(1 pcs/ctn)	37*19*75cm(1 pcs/ctn)
N.W/G.W:	9.6/10.5KG	9.8/10.5KG
Standard packing:	Dust boot,customizable LOGO,one carton for each	Dust boot,customizable LOGO,one carton for each
20GP/40HQ:	308/720pcs	510/1250pcs
Color :	Black / Red/ Blue / Army Green / Khaki	Black / Red/ Blue / Army Green / Khaki